

**CHART NO. 3**


**Number of Male**


*C. bairdi* Tanner crab

≥ 5.5 inches width

### Caught per Square Mile

1999





**Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab, *Paralithodes camtschaticus*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
B08	5/30/99	55 20.1	163 25.4	28	0	0	0	0	78	0	78	78
C07	5/30/99	55 39.9	164 3.2	49	79	0	0	79	0	0	0	79
C08	5/30/99	55 40.5	163 23.6	43	152	0	0	152	0	0	0	152
C09	5/26/99	55 40.3	162 51.5	27	2553	479	0	3032	80	0	80	3111
D07	5/30/99	55 60.0	163 58.7	48	0	78	0	78	0	0	0	78
D08	5/30/99	56 0.3	163 23.2	47	622	311	0	933	0	0	0	933
D09	5/26/99	56 0.3	162 48.4	41	1052	566	0	1618	0	0	0	1618
D10	5/26/99	55 59.3	162 17.4	36	2080	0	0	2080	880	0	880	2960
E06	6/1/99	56 19.7	164 33.3	46	230	0	0	230	0	0	0	230
E07	5/30/99	56 20.0	163 58.4	45	1812	473	0	2284	0	0	0	2284
E08	5/30/99	56 20.0	163 21.7	45	1738	434	0	2172	217	0	217	2390
E09	5/27/99	56 20.0	162 47.5	41	2161	3324	0	5485	249	83	332	5818
E10	5/26/99	56 20.9	162 12.9	44	1532	1129	484	3144	2015	0	2015	5159
E11	5/26/99	56 19.7	161 37.3	33	1751	667	83	2502	8672	83	8756	11257
E12	5/26/99	56 20.6	160 58.9	28	158	158	1340	1655	1103	1418	2522	4177
F07	5/30/99	56 40.0	163 59.1	39	1534	161	0	1695	0	0	0	1695
F08	5/30/99	56 39.6	163 21.7	40	3960	1663	0	5623	0	0	0	5623
F09	5/27/99	56 40.2	162 46.8	38	864	1178	79	2121	236	0	236	2357
F10	5/27/99	56 39.3	162 10.3	39	2058	3403	396	5856	1424	0	1424	7280
F11	5/26/99	56 39.4	161 35.4	48	739	657	164	1560	3941	0	3941	5501
F12	5/26/99	56 40.1	160 59.2	35	391	235	78	705	1487	0	1487	2192
F13	5/23/99	56 40.0	160 21.3	31	0	0	233	233	467	233	700	933
F14	5/23/99	56 40.8	159 39.8	16	0	0	0	0	0	503	503	503
G06	6/2/99	56 59.6	164 36.5	37	83	0	0	83	0	0	0	83
G07	5/29/99	56 59.3	164 2.0	36	81	0	0	81	0	0	0	81
G08	5/29/99	57 1.2	163 23.1	34	231	0	0	231	0	0	0	231
G09	5/27/99	57 0.1	162 47.1	31	323	323	0	645	81	0	81	726
G10	5/27/99	57 0.3	162 9.5	31	892	1561	3346	5799	446	892	1338	7138
G11	5/25/99	56 59.8	161 34.1	36	1281	720	560	2561	2801	80	2881	5442
G12	5/25/99	57 0.4	160 55.9	34	244	0	81	325	1218	0	1218	1543
G13	5/23/99	57 0.2	160 20.4	33	71	143	143	357	357	143	499	856
G14	5/24/99	56 59.6	159 41.1	28	75	0	151	226	75	75	151	377
G20	6/19/99	57 0.8	169 33.3	31	699	544	0	1243	0	0	0	1243

**Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab, *Paralithodes camtschaticus*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
G21	6/19/99	57 9.5	169 53.0	25	3112	1598	757	5467	2103	0	2103	7569
G21	6/19/99	57 1.1	170 11.9	35	398	398	30464	31261	12600	30342	42941	74202
G22	6/19/99	57 7.5	170 27.3	30	554	317	0	871	237	158	396	1267
H08	5/29/99	57 20.7	163 23.5	28	325	0	163	488	0	0	0	488
H09	5/27/99	57 20.0	162 46.5	25	642	401	80	1124	0	0	0	1124
H10	5/27/99	57 20.1	162 8.8	26	399	159	638	1196	80	159	239	1435
H11	5/25/99	57 19.7	161 32.5	28	479	80	958	1516	2873	718	3591	5108
H12	5/25/99	57 19.6	160 55.9	32	0	238	0	238	397	0	397	636
H13	5/23/99	57 18.9	160 19.0	32	303	76	76	455	303	0	303	758
H14	5/24/99	57 20.1	159 40.9	29	0	0	81	81	244	0	244	326
H15	5/23/99	57 14.4	159 7.3	24	0	0	155	155	0	155	155	311
H16	5/23/99	57 20.5	158 23.9	16	0	0	0	0	0	73	73	73
H20	6/19/99	57 19.7	169 35.4	32	0	82	0	82	0	0	0	82
H21	6/19/99	57 29.8	169 58.6	34	162	0	0	162	0	0	0	162
H21	6/19/99	57 21.2	170 13.7	31	80	0	0	80	0	0	0	80
I07	5/29/99	57 39.9	164 1.0	26	0	0	0	0	80	0	80	80
I08	5/29/99	57 38.2	163 22.0	24	144	0	0	144	0	0	0	144
I09	5/27/99	57 40.1	162 45.6	22	0	0	73	73	0	0	0	73
I10	5/27/99	57 40.2	162 8.6	24	158	237	237	631	552	237	789	1420
I11	5/25/99	57 39.8	161 30.0	27	318	159	14945	15422	398	15057	15455	30877
I12	5/25/99	57 40.2	160 53.3	28	0	78	78	156	156	0	156	311
I13	5/24/99	57 40.2	160 15.6	28	0	0	0	0	231	0	231	231
I14	5/24/99	57 39.0	159 39.9	25	100	100	200	400	0	601	601	1001
I15	5/24/99	57 34.1	159 7.2	24	77	0	0	77	0	0	0	77
I16	5/23/99	57 38.2	158 20.5	19	0	0	160	160	0	0	0	160
I20	6/15/99	57 49.6	169 22.8	35	157	0	0	157	0	0	0	157
I21	6/20/99	57 41.1	170 19.5	39	77	0	0	77	0	0	0	77
I22	6/19/99	57 31.3	170 34.8	39	229	0	0	229	0	0	0	229
J04	6/4/99	57 59.7	165 53.7	30	0	79	0	79	79	0	79	159
J10	5/27/99	58 0.7	162 10.3	19	0	71	0	71	214	0	214	285
J11	5/25/99	57 59.4	161 29.2	28	0	0	1817	1817	0	1136	1136	2952
J12	5/25/99	57 59.6	160 51.0	22	84	84	0	167	0	0	0	167
J13	5/24/99	58 0.1	160 12.8	26	75	75	0	150	0	150	150	300

**Table 7. Summary of crab density by tow (# per square nmi) for Red King Crab, *Paralithodes camtschaticus*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
J14	5/24/99	57 59.9	159 36.1	20	0	0	0	0	81	81	162	162
K02	6/12/99	58 20.2	167 12.7	26	0	0	0	0	79	0	79	79
K04	6/4/99	58 20.0	165 55.4	24	0	79	0	79	0	0	0	79
K09	5/28/99	58 18.7	162 43.4	17	0	0	0	0	72	0	72	72
K10	5/28/99	58 19.7	162 4.2	24	0	81	163	244	81	0	81	326
K12	5/25/99	58 18.7	160 41.4	10	0	0	225	225	0	0	0	225
L01	6/13/99	58 39.9	167 52.1	25	0	80	0	80	0	0	0	80
L05	6/3/99	58 40.0	165 17.5	20	0	0	0	0	80	0	80	80
M02	6/13/99	58 59.1	167 13.1	20	0	0	0	0	78	0	78	78
M18	6/15/99	58 59.8	168 32.0	22	0	78	0	78	155	0	155	233
N01	6/13/99	59 19.9	167 55.3	21	0	83	0	83	83	0	83	166
N03	6/4/99	59 20.1	166 35.8	13	0	0	80	80	0	0	0	80
N04	6/4/99	59 20.1	165 55.5	13	0	0	0	0	159	80	239	239
N18	6/14/99	59 20.2	168 35.1	20	82	0	0	82	82	0	82	164
O01	6/13/99	59 39.9	167 57.1	19	0	0	0	0	80	0	80	80
O02	6/13/99	59 40.4	167 18.5	15	77	77	0	154	77	0	77	231
O20	6/21/99	59 40.2	169 54.8	28	0	81	0	81	81	0	81	162
Q18	6/14/99	60 19.4	168 40.8	20	81	0	0	81	162	0	162	243

NOTE: Minimum carapace sizes used are: Large Males > 6.5 in; Medium Males = 5.2 to 6.5 in; Large Females > 4.3 in.

**Table 8A. Summary of crab density by tow (# per square nmi) for Pribilof Blue Kings *Paralithodes platypus*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
F20	6/16/99	56 50.0	169	18.4	42	0	0	0	230	0	230	230
F20	6/17/99	56 40.3	169	30.8	43	0	0	0	2053	0	2053	2053
G19	6/16/99	57 10.0	168	37.8	39	0	0	0	81	0	81	81
G19	6/16/99	56 59.7	168	57.5	42	78	0	0	78	78	0	156
G20	6/19/99	57 0.8	169	33.3	31	233	311	78	622	2021	0	2021
G20	6/16/99	57 9.8	169	18.8	38	78	0	0	78	234	0	312
G21	6/19/99	57 9.5	169	53.0	25	168	84	0	252	2103	0	2103
G22	6/19/99	57 7.5	170	27.3	30	0	0	79	79	0	0	79
H01	6/12/99	57 20.2	167	44.0	39	83	0	0	83	0	0	83
H19	6/16/99	57 19.9	168	58.9	38	548	157	157	862	5249	0	5249
H20	6/19/99	57 19.7	169	35.4	32	82	0	0	82	82	0	163
H21	6/19/99	57 29.8	169	58.6	34	0	81	0	81	0	0	81
I18	6/16/99	57 39.3	168	23.8	36	80	0	0	80	0	0	80
I19	6/16/99	57 39.8	169	2.7	37	248	0	0	248	0	0	248
I20	6/20/99	57 39.6	169	38.6	36	83	83	0	166	0	0	166
I20	6/16/99	57 30.0	169	21.9	38	0	167	83	250	167	0	167
I21	6/20/99	57 41.1	170	19.5	39	0	77	0	77	0	0	77
J19	6/15/99	57 59.8	169	4.1	37	318	79	0	397	0	0	397

NOTE: Minimum carapace sizes used are: Large Males > 6.5 in; Medium Males = 5.2 to 6.5 in; Large Females > 4.3 in.

**Table 8B. Summary of crab density by tow (# per square nmi) for St. Matt. Blue Kings, *Paralithodes platypus*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL	
					Large	Medium	Small	Total	Large	Small		
N24	6/24/99	59 18.1	172 29.5	47	75	0	0	75	0	0	0	75
N25	6/24/99	59 28.4	172 56.3	50	73	0	0	73	0	0	0	73
N25	6/24/99	59 20.4	173 7.8	53	80	80	0	161	0	0	0	161
N26	7/4/99	59 20.5	173 48.3	57	81	81	0	162	0	0	0	162
N26	6/24/99	59 29.7	173 27.1	55	146	0	0	146	0	0	0	146
O03	6/4/99	59 39.1	166 37.7	13	0	0	0	0	79	0	79	79
O24	6/23/99	59 39.9	172 33.4	44	78	0	0	78	0	0	0	78
O25	6/23/99	59 49.8	172 55.4	42	0	80	0	80	80	0	80	159
O25	6/24/99	59 39.0	173 14.5	51	303	0	0	303	0	0	0	303
O26	6/23/99	59 49.0	173 34.4	51	152	152	76	381	0	0	0	381
P24	6/23/99	60 10.0	172 20.3	30	244	81	81	407	0	0	0	407
P24	6/23/99	60 0.1	172 37.4	34	154	77	77	309	0	0	0	309
P24	6/24/99	59 50.5	172 15.7	39	82	0	0	82	0	0	0	82
P26	7/5/99	60 0.5	173 57.2	50	245	0	0	245	0	0	0	245
P27	7/5/99	59 50.5	174 15.5	56	74	74	0	148	0	0	0	148
Q19	6/14/99	60 19.1	169 20.2	24	0	80	0	80	0	0	0	80
Q23	6/22/99	60 20.1	172 3.7	30	76	0	0	76	0	0	0	76
Q25	6/23/99	60 10.3	173 2.5	31	77	0	848	925	0	771	771	1696
Q25	6/23/99	60 18.0	173 22.7	33	154	77	693	924	0	308	308	1232
Q27	7/5/99	60 20.9	174 41.8	54	149	0	0	149	0	0	0	149
R24	6/22/99	60 39.2	172 44.8	24	0	0	77	77	0	0	0	77
R25	7/5/99	60 40.3	173 27.9	33	0	84	84	168	0	0	0	168
S22	7/6/99	60 60.0	171 30.1	31	0	82	82	165	0	0	0	165
S24	7/6/99	61 0.2	172 49.4	34	0	0	0	0	82	0	82	82
S25	7/6/99	60 59.8	173 30.1	39	91	0	0	91	0	0	0	91
T27	7/6/99	61 18.9	174 57.0	46	77	0	0	77	0	0	0	77

NOTE: Minimum carapace sizes used are: Large Males > 5.5 in; Medium Males = 4.3 to 5.5 in; Large Females > 3.8 in.

**Table 9 Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
A02	6/7/99	55 0.1	166 57.3	83	0	248	4214	4462	0	9749	9749	14211
A03	6/6/99	54 59.9	166 20.9	76	82	492	2052	2627	1149	5007	6156	8782
A04	6/6/99	55 0.4	165 44.6	68	0	313	1722	2035	705	3758	4462	6497
A04	6/6/99	54 50.1	165 32.2	81	81	243	1456	1780	162	1133	1294	3074
A05	6/1/99	55 0.4	165 9.0	58	0	166	498	665	0	914	914	1578
A06	6/1/99	55 1.0	164 35.2	33	0	0	80	80	0	80	80	160
B01	6/7/99	55 19.9	167 32.8	79	0	311	3970	4282	0	5761	5761	10042
B02	6/7/99	55 21.2	166 59.4	74	0	0	570	570	0	407	407	976
B03	6/6/99	55 19.7	166 21.0	71	173	346	691	1210	259	1037	1296	2505
B04	6/6/99	55 20.9	165 45.7	64	76	228	608	913	152	1065	1217	2130
B05	6/1/99	55 20.4	165 8.8	58	79	0	945	1024	0	1102	1102	2126
B06	6/1/99	55 19.8	164 36.3	54	949	1424	475	2848	2136	1266	3402	6249
B07	5/30/99	55 20.2	164 2.1	42	0	79	237	316	0	0	0	316
B08	5/30/99	55 20.1	163 25.4	28	951	4906	52249	58106	7604	9321	16926	75031
C01	6/7/99	55 39.9	167 35.9	72	0	0	7053	7053	79	10936	11015	18068
C02	6/7/99	55 40.7	166 59.3	72	0	0	1152	1152	165	1481	1646	2798
C03	6/6/99	55 39.8	166 22.7	67	82	0	0	82	82	247	330	412
C04	6/6/99	55 40.3	165 47.9	63	0	158	237	395	0	1107	1107	1502
C05	6/1/99	55 40.3	165 12.0	56	0	82	0	82	0	572	572	654
C06	6/1/99	55 38.4	164 36.2	51	217	651	2606	3474	434	3691	4126	7600
C07	5/30/99	55 39.9	164 3.2	49	79	1100	2122	3300	629	4951	5579	8880
C08	5/30/99	55 40.5	163 23.6	43	0	76	1139	1214	304	1290	1594	2808
C09	5/26/99	55 40.3	162 51.5	27	319	2633	4867	7818	558	80	638	8457
C18	6/7/99	55 40.0	168 12.2	72	0	0	482	482	0	1044	1044	1526
D01	6/11/99	56 0.4	167 37.4	70	0	0	2879	2879	0	3759	3759	6638
D02	6/11/99	55 59.0	167 2.0	72	0	85	1365	1450	1536	2048	3583	5034
D03	6/6/99	55 59.8	166 23.8	35	0	435	2871	3306	174	3393	3567	6873
D04	6/6/99	55 59.9	165 47.7	57	0	340	7655	7995	170	3402	3572	11568
D05	6/1/99	56 0.3	165 11.0	50	0	84	168	252	168	672	839	1091
D06	6/1/99	56 0.1	164 35.3	49	83	83	2084	2251	583	3834	4418	6668
D07	5/30/99	55 60.0	163 58.7	48	0	157	1722	1879	78	1174	1253	3131
D08	5/30/99	56 0.3	163 23.2	47	0	233	2566	2800	233	1944	2177	4977
D09	5/26/99	56 0.3	162 48.4	41	0	162	404	566	162	566	728	1294

**Table 9 Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
D10	5/26/99	55 59.3	162 17.4	36	0	80	640	720	640	480	1120	1840
D18	6/17/99	55 59.9	168 13.0	79	0	0	4341	4341	0	3685	3685	8026
E01	6/11/99	56 20.0	167 39.2	68	0	0	83	83	0	665	665	748
E02	6/11/99	56 18.8	167 4.5	61	0	674	14379	15053	1416	8163	9579	24632
E03	6/6/99	56 20.2	166 25.0	54	0	84	3692	3776	84	6210	6294	10070
E04	6/6/99	56 19.9	165 49.7	49	0	77	12819	12896	0	14409	14409	27304
E05	6/2/99	56 20.1	165 11.8	45	83	666	3832	4581	750	4664	5414	9995
E06	6/1/99	56 19.7	164 33.3	46	77	998	4834	5908	1535	5064	6599	12508
E07	5/30/99	56 20.0	163 58.4	45	0	236	788	1024	158	473	630	1654
E08	5/30/99	56 20.0	163 21.7	45	217	652	0	869	217	434	652	1521
E09	5/27/99	56 20.0	162 47.5	41	0	83	249	332	0	83	83	416
E10	5/26/99	56 20.9	162 12.9	44	81	403	645	1129	0	242	242	1370
E11	5/26/99	56 19.7	161 37.3	33	167	334	1251	1751	0	0	0	1751
E12	5/26/99	56 20.6	160 58.9	28	79	315	1024	1418	315	0	315	1734
E18	6/17/99	56 20.1	168 15.8	80	0	175	8589	8764	0	13672	13672	22436
E19	6/17/99	56 19.8	168 52.3	67	0	0	2863	2863	0	3031	3031	5894
E20	6/17/99	56 26.2	169 26.8	57	0	81	3303	3383	81	2417	2497	5880
E21	6/17/99	56 20.1	170 4.9	59	0	243	14904	15147	324	19306	19630	34777
E22	6/17/99	56 19.9	170 40.0	64	0	0	7780	7780	81	12805	12886	20666
F01	6/11/99	56 40.0	167 38.9	55	0	163	1954	2117	0	977	977	3094
F02	6/11/99	56 40.0	167 4.5	51	0	146	26526	26672	281	24347	24629	51301
F03	6/5/99	56 40.0	166 26.5	43	0	319	9417	9737	399	5986	6385	16121
F04	6/5/99	56 40.1	165 51.8	42	0	315	2360	2675	157	944	1101	3776
F05	6/2/99	56 40.1	165 12.6	39	0	618	3397	4015	1081	926	2007	6022
F06	6/2/99	56 40.4	164 36.2	39	0	806	4103	4909	440	2564	3004	7912
F07	5/30/99	56 40.0	163 59.1	39	81	1049	3310	4440	969	2341	3310	7750
F08	5/30/99	56 39.6	163 21.7	40	79	396	158	634	79	158	238	871
F09	5/27/99	56 40.2	162 46.8	38	79	157	393	628	0	0	0	628
F10	5/27/99	56 39.3	162 10.3	39	79	396	396	870	0	0	0	870
F11	5/26/99	56 39.4	161 35.4	48	82	82	82	246	0	0	0	246
F12	5/26/99	56 40.1	160 59.2	35	0	0	235	235	78	0	78	313
F13	5/23/99	56 40.0	160 21.3	31	0	78	311	389	78	0	78	467
F18	6/17/99	56 39.1	168 18.3	56	0	0	2729	2729	0	2647	2647	5376

**Table 9 Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
F19	6/17/99	56 40.1	168 54.3	52	0	79	1185	1264	0	1185	1185	2450
F20	6/16/99	56 50.0	169 18.4	42	0	307	1149	1456	77	2912	2989	4444
F20	6/17/99	56 40.3	169 30.8	43	79	0	553	632	316	79	395	1027
F21	6/17/99	56 39.8	170 10.4	53	81	244	3329	3654	650	2355	3004	6658
F22	6/28/99	56 39.8	170 44.1	59	0	328	35868	36196	0	37475	37475	73671
F22	6/19/99	56 49.2	170 29.8	54	0	170	8007	8178	170	4941	5111	13289
F23	6/28/99	56 39.4	171 21.1	62	0	83	2068	2151	83	3226	3308	5459
F24	6/28/99	56 39.0	171 58.3	67	0	0	2812	2812	268	4686	4954	7765
F25	6/28/99	56 40.4	172 32.6	73	0	0	934	934	156	1790	1946	2879
G01	6/12/99	57 0.5	167 41.8	42	0	0	3860	3860	80	2171	2251	6111
G02	6/12/99	56 59.1	167 6.3	40	0	0	1802	1802	0	1018	1018	2820
G03	6/5/99	57 0.0	166 27.9	38	0	408	979	1386	163	489	652	2039
G04	6/5/99	56 59.9	165 50.4	39	0	795	2146	2940	159	79	238	3179
G05	6/2/99	56 59.9	165 12.9	37	0	2605	2857	5463	0	84	84	5547
G06	6/2/99	56 59.6	164 36.5	37	83	744	2479	3305	83	248	330	3635
G07	5/29/99	56 59.3	164 2.0	36	161	1047	967	2175	161	0	161	2336
G08	5/29/99	57 1.2	163 23.1	34	386	309	231	926	77	0	77	1003
G09	5/27/99	57 0.1	162 47.1	31	323	242	161	726	0	0	0	726
G10	5/27/99	57 0.3	162 9.5	31	0	0	0	0	0	223	223	223
G12	5/25/99	57 0.4	160 55.9	34	0	0	81	81	0	0	0	81
G13	5/23/99	57 0.2	160 20.4	33	0	0	71	71	0	0	0	71
G18	6/16/99	57 0.4	168 23.6	40	0	0	397	397	0	477	477	874
G19	6/16/99	57 10.0	168 37.8	39	0	0	323	323	162	162	323	646
G19	6/16/99	56 50.4	168 37.4	49	0	0	1844	1844	0	1173	1173	3018
G19	6/16/99	56 59.7	168 57.5	42	0	0	467	467	0	78	78	545
G20	6/19/99	57 0.8	169 33.3	31	0	78	389	466	78	155	233	699
G20	6/16/99	57 9.8	169 18.8	38	0	156	312	468	0	234	234	702
G21	6/19/99	56 50.5	169 54.2	37	0	320	1359	1679	240	560	800	2478
G21	6/19/99	57 9.5	169 53.0	25	0	84	1262	1346	336	505	841	2187
G21	6/19/99	57 1.1	170 11.9	35	0	1520	22666	24186	3014	1623	4637	28823
G22	6/27/99	56 59.7	170 47.0	49	0	0	4525	4525	85	1537	1622	6147
G22	6/19/99	57 7.5	170 27.3	30	0	158	1187	1346	158	317	475	1821
G23	6/28/99	57 0.2	171 24.1	57	0	0	325	325	0	811	811	1136

**Table 9 Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL
					Large	Medium	Small		Large	Small	Total	
G24	6/28/99	57 0.4	172 1.7	61	0	0	1051	1051	0	1051	1051	2102
G25	6/28/99	56 56.9	172 43.1	67	0	74	5311	5385	295	10622	10917	16302
G26	6/27/99	57 1.0	173 12.2	73	0	76	76	153	0	76	76	229
H01	6/12/99	57 20.2	167 44.0	39	0	0	83	83	83	166	249	332
H02	6/12/99	57 19.6	167 6.5	38	0	0	4773	4773	80	1830	1909	6683
H03	6/5/99	57 20.1	166 28.8	36	0	568	1299	1867	0	325	325	2192
H04	6/5/99	57 20.2	165 52.6	36	0	167	502	669	0	84	84	753
H05	6/2/99	57 20.0	165 14.0	34	83	581	581	1244	0	166	166	1410
H06	6/2/99	57 21.0	164 37.1	34	76	682	303	1060	76	0	76	1136
H07	5/29/99	57 19.9	164 1.2	32	0	351	70	421	0	0	0	421
H08	5/29/99	57 20.7	163 23.5	28	244	163	569	976	81	163	244	1220
H09	5/27/99	57 20.0	162 46.5	25	0	0	80	80	0	0	0	80
H10	5/27/99	57 20.1	162 8.8	26	0	0	0	0	0	80	80	80
H11	5/25/99	57 19.7	161 32.5	28	80	0	0	80	0	0	0	80
H12	5/25/99	57 19.6	160 55.9	32	0	79	0	79	0	79	79	159
H18	6/16/99	57 18.9	168 24.4	38	0	0	0	0	0	82	82	82
H19	6/16/99	57 29.0	168 43.6	37	0	0	329	329	0	0	0	329
H19	6/16/99	57 19.9	168 58.9	38	0	0	78	78	78	0	78	157
H20	6/19/99	57 19.7	169 35.4	32	0	82	82	163	0	163	163	326
H21	6/19/99	57 29.8	169 58.6	34	0	0	243	243	0	0	0	243
H22	6/27/99	57 19.8	170 50.5	43	0	81	242	322	81	242	322	645
H23	6/27/99	57 19.7	171 28.3	53	0	0	669	669	0	418	418	1087
H24	6/27/99	57 20.3	172 9.6	57	0	0	1386	1386	0	1078	1078	2464
H25	6/27/99	57 20.2	172 44.8	62	0	0	3879	3879	0	4454	4454	8333
H26	6/27/99	57 19.2	173 18.2	64	0	0	2066	2066	0	2435	2435	4501
I01	6/12/99	57 40.2	167 46.2	37	0	0	252	252	0	0	0	252
I02	6/12/99	57 39.2	167 9.4	34	0	0	559	559	0	80	80	639
I03	6/5/99	57 40.0	166 30.1	34	0	83	83	165	0	0	0	165
I04	6/5/99	57 40.1	165 53.5	34	0	0	189	189	0	0	0	189
I05	6/2/99	57 40.0	165 15.4	31	0	0	82	82	0	82	82	164
I06	6/2/99	57 39.7	164 36.9	27	0	0	84	84	0	0	0	84
I13	5/24/99	57 40.2	160 15.6	28	0	0	77	77	0	0	0	77
I18	6/16/99	57 39.3	168 23.8	36	0	0	80	80	80	0	80	159

**Table 9 Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL
					Large	Medium	Small		Large	Small	Total	
I20	6/15/99	57 49.6	169	22.8	35	0	0	79	0	79	79	157
I20	6/16/99	57 30.0	169	21.9	38	0	0	167	0	0	0	167
I21	6/20/99	57 49.8	169	58.7	37	81	161	483	0	564	564	1288
I21	6/20/99	57 41.1	170	19.5	39	0	0	1467	0	463	463	1930
I22	6/27/99	57 39.3	170	53.2	44	0	96	96	96	0	96	289
I22	6/19/99	57 31.3	170	34.8	39	0	381	610	991	76	534	610
I24	6/27/99	57 39.7	172	12.0	57	0	0	1127	0	1728	1728	2855
I25	6/26/99	57 41.6	172	49.1	63	0	0	4463	0	4161	4161	8624
I26	6/26/99	57 41.2	173	22.2	77	0	0	4427	78	5825	5902	10329
J02	6/12/99	58 0.5	167	11.0	32	0	0	75	0	0	0	75
J10	5/27/99	58 0.7	162	10.3	19	0	0	0	0	71	71	71
J13	5/24/99	58 0.1	160	12.8	26	0	0	75	0	75	75	150
J19	6/15/99	57 59.8	169	4.1	37	0	79	0	0	0	0	79
J20	6/20/99	57 59.9	169	42.0	36	0	82	82	164	0	164	328
J21	6/20/99	58 1.4	170	20.9	40	0	0	153	0	230	230	384
J22	6/26/99	57 59.9	170	57.8	45	0	0	83	0	0	0	83
J22	6/20/99	57 51.4	170	36.6	41	0	0	149	0	0	0	149
J24	6/27/99	57 57.1	172	16.5	56	0	78	937	0	312	312	1328
J26	6/26/99	57 59.1	173	27.4	62	0	0	0	0	152	152	152
K10	5/28/99	58 19.7	162	4.2	24	0	0	81	0	81	81	163
K22	6/26/99	58 19.9	171	1.6	43	0	0	82	0	0	0	82
K24	6/25/99	58 20.5	172	22.0	54	0	0	692	0	384	384	1076
K25	6/26/99	58 18.9	172	55.4	57	0	0	0	105	421	527	527
K26	7/4/99	58 20.4	173	34.3	60	0	0	336	84	1596	1680	2015
K27	7/4/99	58 21.9	174	18.5	102	0	0	4933	0	4008	4008	8941
L02	6/13/99	58 40.8	167	13.5	22	0	76	76	0	0	0	76
L08	5/28/99	58 40.1	163	20.9	15	0	80	80	0	0	0	80
L24	6/25/99	58 38.1	172	24.0	53	0	0	163	0	326	326	489
L25	6/25/99	58 40.6	172	57.7	60	0	0	571	0	913	913	1484
L27	7/4/99	58 41.2	174	15.2	80	0	0	1311	0	1165	1165	2476
L28	7/11/99	58 44.6	174	57.4	75	0	0	606	0	1061	1061	1667
L29	7/11/99	58 40.4	175	32.3	71	0	0	530	0	379	379	909
L30	7/11/99	58 39.1	176	11.4	76	0	0	391	0	469	469	860

**Table 9 Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL
					Large	Medium	Small		Large	Small	Total	
L31	7/11/99	58 39.6	176 48.8	73	0	0	1079	1079	0	2004	2004	3083
M24	6/25/99	58 59.8	172 34.2	52	0	0	243	243	0	81	81	324
M25	6/25/99	58 58.2	173 3.5	56	0	149	298	447	0	149	149	597
M26	7/4/99	59 0.3	173 43.0	62	0	0	721	721	0	641	641	1362
M27	7/4/99	59 0.7	174 22.3	67	0	0	1432	1432	0	1739	1739	3171
M28	7/11/99	59 0.4	174 58.8	71	0	81	161	242	0	161	161	403
M29	7/11/99	59 0.1	175 43.9	72	0	170	1364	1534	0	682	682	2216
M30	7/11/99	59 0.1	176 17.5	73	0	87	1303	1390	0	1303	1303	2694
M31	7/11/99	58 59.9	176 55.7	73	0	0	645	645	81	968	1049	1694
M32	7/11/99	59 0.1	177 34.5	73	0	0	1407	1407	0	1572	1572	2979
N19	6/14/99	59 20.0	169 14.4	27	0	0	161	161	0	0	0	161
N25	6/24/99	59 28.4	172 56.3	50	0	0	290	290	0	73	73	363
N26	6/24/99	59 29.7	173 27.1	55	0	0	73	73	0	0	0	73
N27	7/4/99	59 21.0	174 25.3	63	0	0	77	77	0	0	0	77
N30	7/10/99	59 17.7	176 23.2	73	0	0	860	860	234	469	703	1563
N31	7/10/99	59 20.8	177 1.4	79	0	0	232	232	0	77	77	309
O23	6/24/99	59 39.9	171 53.2	40	0	0	82	82	0	0	0	82
O25	6/24/99	59 39.0	173 14.5	51	0	0	0	0	0	76	76	76
O27	7/5/99	59 40.7	174 27.2	61	0	0	149	149	0	0	0	149
O30	7/10/99	59 40.0	176 35.9	72	0	77	461	538	77	691	768	1306
O31	7/10/99	59 38.7	177 5.7	91	0	292	585	877	0	0	0	877
P30	7/10/99	59 58.3	176 44.8	75	0	0	76	76	0	228	228	304
P31	7/9/99	59 60.0	177 13.3	73	0	0	75	75	0	0	0	75
Q18	6/14/99	60 19.4	168 40.8	20	0	0	191	191	0	0	0	191
Q30	7/9/99	60 20.6	176 47.1	73	0	0	78	78	0	0	0	78
Q31	7/9/99	60 18.4	177 21.5	77	0	78	0	78	0	0	0	78
R30	7/9/99	60 39.7	176 49.4	69	0	0	303	303	0	76	76	379
R31	7/8/99	60 40.3	177 31.3	78	0	85	0	85	0	0	0	85
R32	7/8/99	60 40.2	178 7.9	85	0	0	78	78	0	155	155	233
S30	7/8/99	61 1.6	176 58.6	64	0	0	1392	1392	0	696	696	2088
Z05	6/1/99	54 41.5	165 8.6	24	0	0	80	80	0	239	239	318

**Table 9 Summary of crab density by tow (# per square nmi) for Tanner Crab, *Chionoecetes bairdi*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	

NOTE: Minimum carapace sizes used are: Large Males > 5.4 in; Medium Males > 4.3 in; Large Females > 3.3 in.

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL
					Large	Medium	Small		Large	Small	Total	
A02	6/7/99	55 0.1	166 57.3	83	83	165	248	496	0	0	0	496
A03	6/6/99	54 59.9	166 20.9	76	492	164	246	903	82	0	82	985
A04	6/6/99	55 0.4	165 44.6	68	313	391	313	1018	0	0	0	1018
A04	6/6/99	54 50.1	165 32.2	81	485	485	324	1294	0	0	0	1294
A05	6/1/99	55 0.4	165 9.0	58	1828	665	914	3406	0	0	0	3406
B01	6/7/99	55 19.9	167 32.8	79	234	156	156	545	0	0	0	545
B02	6/7/99	55 21.2	166 59.4	74	81	81	81	244	0	0	0	244
B03	6/6/99	55 19.7	166 21.0	71	432	173	518	1123	0	0	0	1123
B04	6/6/99	55 20.9	165 45.7	64	76	228	152	456	0	0	0	456
B05	6/1/99	55 20.4	165 8.8	58	709	394	236	1339	0	0	0	1339
B06	6/1/99	55 19.8	164 36.3	54	2294	1503	2373	6170	0	0	0	6170
B07	5/30/99	55 20.2	164 2.1	42	316	237	79	632	0	0	0	632
B08	5/30/99	55 20.1	163 25.4	28	0	78	470	549	0	0	0	549
C01	6/7/99	55 39.9	167 35.9	72	79	238	158	475	0	0	0	475
C02	6/7/99	55 40.7	166 59.3	72	247	247	247	741	0	0	0	741
C03	6/6/99	55 39.8	166 22.7	67	330	82	247	660	0	0	0	660
C04	6/6/99	55 40.3	165 47.9	63	237	79	316	632	0	0	0	632
C05	6/1/99	55 40.3	165 12.0	56	245	163	327	735	0	0	0	735
C06	6/1/99	55 38.4	164 36.2	51	2171	760	2171	5103	0	0	0	5103
C07	5/30/99	55 39.9	164 3.2	49	550	629	2436	3615	0	0	0	3615
C08	5/30/99	55 40.5	163 23.6	43	0	304	911	1214	0	0	0	1214
C09	5/26/99	55 40.3	162 51.5	27	0	399	239	638	0	0	0	638
C18	6/7/99	55 40.0	168 12.2	72	401	161	0	562	0	0	0	562
D01	6/11/99	56 0.4	167 37.4	70	320	80	240	640	0	0	0	640
D02	6/11/99	55 59.0	167 2.0	72	512	256	256	1024	0	0	0	1024
D03	6/6/99	55 59.8	166 23.8	35	87	261	87	435	0	0	0	435
D04	6/6/99	55 59.9	165 47.7	57	766	766	510	2041	0	85	85	2126
D05	6/1/99	56 0.3	165 11.0	50	252	588	923	1763	0	0	0	1763
D06	6/1/99	56 0.1	164 35.3	49	333	333	1250	1917	0	0	0	1917
D07	5/30/99	55 60.0	163 58.7	48	235	626	1409	2270	0	0	0	2270
D08	5/30/99	56 0.3	163 23.2	47	389	933	4199	5521	0	0	0	5521
D09	5/26/99	56 0.3	162 48.4	41	324	566	243	1133	0	0	0	1133
D10	5/26/99	55 59.3	162 17.4	36	240	320	80	640	0	0	0	640

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
D18	6/17/99	55 59.9	168 13.0	79	246	0	82	328	0	0	0	328
E01	6/11/99	56 20.0	167 39.2	68	333	249	0	582	0	0	0	582
E02	6/11/99	56 18.8	167 4.5	61	583	750	500	1832	0	0	0	1832
E03	6/6/99	56 20.2	166 25.0	54	503	671	839	2014	0	0	0	2014
E04	6/6/99	56 19.9	165 49.7	49	464	773	541	1778	0	0	0	1778
E05	6/2/99	56 20.1	165 11.8	45	416	1000	1499	2915	83	0	83	2999
E06	6/1/99	56 19.7	164 33.3	46	307	537	1765	2609	0	0	0	2609
E07	5/30/99	56 20.0	163 58.4	45	315	315	709	1339	0	158	158	1497
E08	5/30/99	56 20.0	163 21.7	45	0	217	1086	1303	0	0	0	1303
E09	5/27/99	56 20.0	162 47.5	41	249	499	166	914	0	0	0	914
E10	5/26/99	56 20.9	162 12.9	44	161	564	242	967	0	0	0	967
E11	5/26/99	56 19.7	161 37.3	33	83	250	0	334	0	0	0	334
E12	5/26/99	56 20.6	160 58.9	28	0	158	0	158	0	0	0	158
E18	6/17/99	56 20.1	168 15.8	80	1753	701	438	2892	175	0	175	3067
E19	6/17/99	56 19.8	168 52.3	67	589	84	0	674	0	0	0	674
E20	6/17/99	56 26.2	169 26.8	57	242	81	81	403	0	0	0	403
E21	6/17/99	56 20.1	170 4.9	59	729	973	682	2384	81	277	358	2743
E22	6/17/99	56 19.9	170 40.0	64	729	1864	162	2755	0	0	0	2755
F01	6/11/99	56 40.0	167 38.9	55	733	570	244	1547	0	0	0	1547
F02	6/11/99	56 40.0	167 4.5	51	518	370	370	1257	0	0	0	1257
F03	6/5/99	56 40.0	166 26.5	43	399	1038	479	1915	0	0	0	1915
F04	6/5/99	56 40.1	165 51.8	42	157	236	472	865	236	79	315	1180
F05	6/2/99	56 40.1	165 12.6	39	618	1776	2702	5096	1699	618	2316	7412
F06	6/2/99	56 40.4	164 36.2	39	440	1319	5421	7180	879	1172	2051	9231
F07	5/30/99	56 40.0	163 59.1	39	81	323	1776	2180	0	81	81	2260
F08	5/30/99	56 39.6	163 21.7	40	238	475	317	1029	0	0	0	1029
F09	5/27/99	56 40.2	162 46.8	38	79	157	79	314	0	0	0	314
F10	5/27/99	56 39.3	162 10.3	39	79	79	0	158	0	0	0	158
F11	5/26/99	56 39.4	161 35.4	48	0	246	0	246	0	0	0	246
F12	5/26/99	56 40.1	160 59.2	35	0	78	0	78	0	0	0	78
F18	6/17/99	56 39.1	168 18.3	56	2895	3226	2068	8188	248	0	248	8437
F19	6/17/99	56 40.1	168 54.3	52	1106	553	553	2213	79	0	79	2292
F20	6/16/99	56 50.0	169 18.4	42	2835	1073	766	4674	0	77	77	4751

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL	
					Large	Medium	Small		Large	Small	Total		
F20	6/17/99	56 40.3	169	30.8	43	632	474	237	1342	0	79	79	1421
F21	6/17/99	56 39.8	170	10.4	53	568	487	244	1299	0	0	0	1299
F22	6/28/99	56 39.8	170	44.1	59	328	1311	437	2076	0	0	0	2076
F22	6/19/99	56 49.2	170	29.8	54	341	1789	341	2470	0	85	85	2556
F23	6/28/99	56 39.4	171	21.1	62	1820	1654	331	3805	83	165	248	4053
F24	6/28/99	56 39.0	171	58.3	67	669	268	0	937	0	0	0	937
F25	6/28/99	56 40.4	172	32.6	73	0	311	0	311	0	0	0	311
G01	6/12/99	57 0.5	167	41.8	42	1206	1528	2814	5548	0	1287	1287	6835
G02	6/12/99	56 59.1	167	6.3	40	627	1097	1645	3368	0	940	940	4308
G03	6/5/99	57 0.0	166	27.9	38	489	1142	1386	3017	82	652	734	3751
G04	6/5/99	56 59.9	165	50.4	39	159	238	715	1113	159	79	238	1351
G05	6/2/99	56 59.9	165	12.9	37	168	840	1008	2017	84	0	84	2101
G06	6/2/99	56 59.6	164	36.5	37	248	1074	2148	3470	165	330	496	3966
G07	5/29/99	56 59.3	164	2.0	36	242	1128	2094	3464	564	242	806	4269
G08	5/29/99	57 1.2	163	23.1	34	0	386	540	926	77	386	463	1388
G09	5/27/99	57 0.1	162	47.1	31	81	0	161	242	0	161	161	403
G10	5/27/99	57 0.3	162	9.5	31	0	446	0	446	0	0	0	446
G11	5/25/99	56 59.8	161	34.1	36	80	240	80	400	0	0	0	400
G12	5/25/99	57 0.4	160	55.9	34	0	162	0	162	0	0	0	162
G18	6/16/99	57 0.4	168	23.6	40	477	556	954	1987	0	0	0	1987
G19	6/16/99	57 10.0	168	37.8	39	888	1131	646	2665	0	81	81	2746
G19	6/16/99	56 50.4	168	37.4	49	2598	3269	1760	7628	168	84	251	7879
G19	6/16/99	56 59.7	168	57.5	42	3661	7479	1558	12698	234	0	234	12932
G20	6/19/99	57 0.8	169	33.3	31	2565	1710	855	5129	0	0	0	5129
G20	6/16/99	57 9.8	169	18.8	38	2263	3043	6477	11784	4058	546	4604	16388
G21	6/19/99	56 50.5	169	54.2	37	240	400	240	879	0	0	0	879
G21	6/19/99	57 9.5	169	53.0	25	0	168	84	252	84	0	84	336
G21	6/19/99	57 1.1	170	11.9	35	309	1159	232	1700	0	0	0	1700
G22	6/27/99	56 59.7	170	47.0	49	342	939	342	1622	0	0	0	1622
G22	6/19/99	57 7.5	170	27.3	30	0	237	158	396	0	0	0	396
G23	6/28/99	57 0.2	171	24.1	57	325	1298	325	1947	0	162	162	2109
G24	6/28/99	57 0.4	172	1.7	61	175	701	0	876	0	0	0	876
G25	6/28/99	56 56.9	172	43.1	67	1475	2065	221	3762	0	0	0	3762

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL
					Large	Medium	Small		Large	Small	Total	
G26	6/27/99	57 1.0	173 12.2	73	1224	459	0	1683	0	0	0	1683
H01	6/12/99	57 20.2	167 44.0	39	415	914	1495	2824	0	0	0	2824
H02	6/12/99	57 19.6	167 6.5	38	557	1909	3580	6046	159	2228	2387	8433
H03	6/5/99	57 20.1	166 28.8	36	731	974	1218	2923	244	325	568	3491
H04	6/5/99	57 20.2	165 52.6	36	836	669	1171	2676	1171	167	1338	4014
H05	6/2/99	57 20.0	165 14.0	34	83	1161	4811	6056	6636	249	6885	12941
H06	6/2/99	57 21.0	164 37.1	34	0	1136	3559	4695	3105	833	3938	8633
H07	5/29/99	57 19.9	164 1.2	32	0	70	1405	1475	70	281	351	1826
H08	5/29/99	57 20.7	163 23.5	28	0	488	1871	2359	81	0	81	2440
H09	5/27/99	57 20.0	162 46.5	25	80	80	161	321	0	0	0	321
H10	5/27/99	57 20.1	162 8.8	26	0	0	80	80	0	0	0	80
H11	5/25/99	57 19.7	161 32.5	28	0	80	0	80	0	0	0	80
H12	5/25/99	57 19.6	160 55.9	32	0	79	0	79	0	0	0	79
H16	5/23/99	57 20.5	158 23.9	16	0	0	73	73	0	0	0	73
H18	6/16/99	57 18.9	168 24.4	38	247	247	411	905	0	0	0	905
H19	6/16/99	57 29.0	168 43.6	37	246	164	575	986	0	0	0	986
H19	6/16/99	57 19.9	168 58.9	38	940	627	1175	2742	0	0	0	2742
H20	6/19/99	57 19.7	169 35.4	32	1956	1223	897	4076	163	0	163	4239
H21	6/19/99	57 29.8	169 58.6	34	1537	1375	890	3801	81	0	81	3882
H22	6/27/99	57 19.8	170 50.5	43	403	1773	483	2659	0	0	0	2659
H23	6/27/99	57 19.7	171 28.3	53	418	585	418	1422	1004	0	1004	2425
H24	6/27/99	57 20.3	172 9.6	57	154	847	308	1309	0	231	231	1540
H25	6/27/99	57 20.2	172 44.8	62	0	216	144	359	0	0	0	359
H26	6/27/99	57 19.2	173 18.2	64	369	221	0	590	0	0	0	590
I01	6/12/99	57 40.2	167 46.2	37	168	337	757	1262	0	168	168	1431
I02	6/12/99	57 39.2	167 9.4	34	1358	399	1118	2875	0	240	240	3115
I03	6/5/99	57 40.0	166 30.1	34	3057	661	578	4296	0	165	165	4462
I04	6/5/99	57 40.1	165 53.5	34	3439	819	20231	24489	26957	1644	28600	53089
I05	6/2/99	57 40.0	165 15.4	31	164	492	4349	5005	738	410	1149	6154
I06	6/2/99	57 39.7	164 36.9	27	253	758	2694	3705	1431	253	1684	5389
I07	5/29/99	57 39.9	164 1.0	26	0	80	0	80	0	0	0	80
I18	6/16/99	57 39.3	168 23.8	36	80	0	159	239	0	0	0	239
I19	6/15/99	57 49.7	168 45.0	36	318	318	478	1115	0	239	239	1353

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL
					Large	Medium	Small		Large	Small	Total	
I19	6/16/99	57 39.8	169 2.7	37	248	331	828	1408	0	0	0	1408
I20	6/20/99	57 39.6	169 38.6	36	1078	2156	1161	4395	166	83	249	4644
I20	6/15/99	57 49.6	169 22.8	35	786	707	314	1807	0	79	79	1886
I20	6/16/99	57 30.0	169 21.9	38	1333	2166	1750	5249	0	0	0	5249
I21	6/20/99	57 49.8	169 58.7	37	24103	2625	2864	29592	81	886	966	30558
I21	6/20/99	57 41.1	170 19.5	39	618	2085	1235	3938	154	309	463	4401
I22	6/27/99	57 39.3	170 53.2	44	385	96	96	578	2505	96	2601	3179
I22	6/19/99	57 31.3	170 34.8	39	839	1983	839	3661	153	0	153	3813
I23	6/27/99	57 39.8	171 32.1	51	744	248	83	1075	331	165	496	1572
I24	6/27/99	57 39.7	172 12.0	57	526	1277	0	1803	0	150	150	1953
I25	6/26/99	57 41.6	172 49.1	63	1286	1891	303	3480	151	227	378	3858
I26	6/26/99	57 41.2	173 22.2	77	544	621	0	1165	0	777	777	1942
J01	6/12/99	58 0.1	167 48.4	36	1054	162	487	1703	243	0	243	1946
J02	6/12/99	58 0.5	167 11.0	32	4152	1208	1434	6795	1812	75	1887	8682
J03	6/5/99	57 59.8	166 31.2	31	398	955	2627	3981	1911	239	2149	6130
J04	6/4/99	57 59.7	165 53.7	30	79	238	1669	1987	1431	0	1431	3418
J05	6/3/99	58 0.2	165 15.1	25	0	82	571	652	82	82	163	815
J18	6/15/99	58 0.3	168 26.7	35	95	190	190	475	0	190	190	666
J19	6/15/99	57 59.8	169 4.1	37	636	159	397	1192	0	0	0	1192
J20	6/20/99	57 59.9	169 42.0	36	4841	1149	985	6974	0	0	0	6974
J21	6/20/99	58 1.4	170 20.9	40	1841	4449	1534	7824	920	384	1304	9128
J22	6/26/99	57 59.9	170 57.8	45	248	413	83	744	0	0	0	744
J22	6/20/99	57 51.4	170 36.6	41	1413	2975	1116	5504	223	223	446	5950
J23	6/26/99	57 59.9	171 35.6	50	0	85	0	85	85	0	85	171
J24	6/27/99	57 57.1	172 16.5	56	2187	1562	312	4062	469	78	547	4609
J25	6/26/99	58 0.5	172 56.2	57	2661	7391	3843	13895	125099	67513	192612	206507
J26	6/26/99	57 59.1	173 27.4	62	610	1676	686	2971	1371	1600	2971	5943
K01	6/12/99	58 20.6	167 50.3	32	2879	3658	12685	19222	3891	311	4202	23424
K02	6/12/99	58 20.2	167 12.7	26	317	396	4118	4831	1029	158	1188	6018
K03	6/4/99	58 20.0	166 33.2	24	0	0	80	80	0	0	0	80
K04	6/4/99	58 20.0	165 55.4	24	0	79	0	79	0	0	0	79
K06	6/3/99	58 20.8	164 39.7	22	0	0	0	0	0	78	78	78
K18	6/15/99	58 20.2	168 28.1	33	562	241	562	1364	80	0	80	1444

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
K19	6/15/99	58 19.8	169 6.6	36	1850	402	0	2252	0	0	0	2252
K20	6/20/99	58 20.0	169 44.1	36	4504	885	161	5550	0	0	0	5550
K21	6/20/99	58 22.0	170 23.0	40	16251	3722	744	20717	72	0	72	20789
K22	6/26/99	58 19.9	171 1.6	43	904	2218	493	3614	329	246	575	4189
K23	6/26/99	58 19.8	171 39.7	50	80	80	161	321	0	80	80	402
K24	6/25/99	58 20.5	172 22.0	54	2540	5528	1195	9263	97226	25586	122812	132075
K25	6/26/99	58 18.9	172 55.4	57	2423	3898	527	6849	2739	527	3266	10115
K26	7/4/99	58 20.4	173 34.3	60	504	840	252	1596	84	84	168	1764
K27	7/4/99	58 21.9	174 18.5	102	77	308	77	462	0	154	154	617
L01	6/13/99	58 39.9	167 52.1	25	0	80	1512	1592	318	80	398	1990
L02	6/13/99	58 40.8	167 13.5	22	0	0	152	152	0	0	0	152
L03	6/4/99	58 40.2	166 33.8	21	0	79	0	79	0	0	0	79
L18	6/15/99	58 40.0	168 29.6	27	577	165	1566	2308	165	165	330	2638
L19	6/15/99	58 39.9	169 8.7	34	1521	480	2401	4402	240	3442	3682	8084
L20	6/20/99	58 40.0	169 46.9	34	1847	1365	321	3533	80	0	80	3613
L21	6/20/99	58 41.5	170 25.6	39	1400	590	147	2137	0	0	0	2137
L22	6/26/99	58 40.1	171 5.3	43	4514	2660	242	7416	484	0	484	7900
L23	6/25/99	58 39.8	171 42.7	48	500	583	0	1082	333	83	416	1499
L24	6/25/99	58 38.1	172 24.0	53	1958	2121	82	4160	245	82	326	4487
L25	6/25/99	58 40.6	172 57.7	60	3083	4796	571	8450	2398	1599	3996	12446
L26	7/4/99	58 40.6	173 37.8	66	845	4301	2458	7604	85280	93808	179088	186693
L27	7/4/99	58 41.2	174 15.2	80	0	146	146	291	0	73	73	364
L28	7/11/99	58 44.6	174 57.4	75	303	76	76	455	0	0	0	455
L29	7/11/99	58 40.4	175 32.3	71	76	0	76	152	0	227	227	379
L30	7/11/99	58 39.1	176 11.4	76	0	0	0	0	0	234	234	234
L31	7/11/99	58 39.6	176 48.8	73	0	0	308	308	0	77	77	385
M01	6/13/99	59 0.1	167 53.0	22	0	78	78	157	0	0	0	157
M18	6/15/99	58 59.8	168 32.0	22	0	0	388	388	0	155	155	543
M19	6/15/99	58 59.8	169 11.4	29	163	650	8128	8941	2113	5283	7396	16337
M20	6/21/99	58 59.7	169 49.6	32	2883	1201	320	4405	240	160	400	4806
M21	6/21/99	59 0.9	170 28.2	38	2220	1824	714	4758	0	79	79	4837
M22	6/25/99	59 0.3	171 8.2	39	1622	4056	295	5973	147	74	221	6194
M23	6/25/99	58 59.9	171 47.4	45	2472	3873	247	6593	412	0	412	7005

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
M24	6/25/99	58 59.8	172 34.2	52	648	1134	81	1863	0	162	162	2025
M25	6/25/99	58 58.2	173 3.5	56	1761	6164	4256	12181	83811	35919	119730	131911
M26	7/4/99	59 0.3	173 43.0	62	1682	2723	961	5366	1442	561	2002	7368
M27	7/4/99	59 0.7	174 22.3	67	102	102	205	409	0	511	511	921
M28	7/11/99	59 0.4	174 58.8	71	0	81	81	161	0	161	161	323
M29	7/11/99	59 0.1	175 43.9	72	0	170	170	341	0	170	170	511
M30	7/11/99	59 0.1	176 17.5	73	87	0	174	261	0	521	521	782
M31	7/11/99	58 59.9	176 55.7	73	0	81	242	323	0	161	161	484
M32	7/11/99	59 0.1	177 34.5	73	248	165	0	414	331	0	331	745
N02	6/13/99	59 19.9	167 15.4	15	0	0	154	154	0	0	0	154
N19	6/14/99	59 20.0	169 14.4	27	0	80	5225	5305	643	2251	2894	8199
N20	6/21/99	59 20.3	169 52.1	31	844	253	1097	2194	506	253	759	2954
N21	6/21/99	59 20.7	170 32.5	36	394	394	236	1024	315	0	315	1339
N22	6/25/99	59 19.9	171 10.4	39	542	2323	774	3639	697	77	774	4413
N23	6/25/99	59 20.1	171 50.1	42	1704	7496	681	9881	937	256	1193	11074
N24	6/24/99	59 18.1	172 29.5	47	4530	4756	151	9437	1132	226	1359	10796
N25	6/24/99	59 28.4	172 56.3	50	9097	2558	1563	13218	73	1306	1379	14597
N25	6/24/99	59 20.4	173 7.8	53	883	1846	1364	4093	9835	1834	11669	15762
N26	7/4/99	59 20.5	173 48.3	57	162	1457	567	2186	3238	648	3886	6072
N26	6/24/99	59 29.7	173 27.1	55	4016	1387	1460	6864	0	3505	3505	10369
N27	7/4/99	59 21.0	174 25.3	63	2151	1229	154	3533	154	77	230	3764
N28	7/10/99	59 20.0	175 5.2	73	1060	1875	408	3343	3425	652	4077	7420
N29	7/10/99	59 20.0	175 40.0	73	0	344	344	687	515	1890	2405	3092
N30	7/10/99	59 17.7	176 23.2	73	156	156	156	469	0	547	547	1016
O18	6/14/99	59 40.6	168 38.4	19	79	0	79	157	0	0	0	157
O19	6/14/99	59 39.8	169 16.2	25	0	0	35857	35857	3752	17720	21473	57330
O20	6/21/99	59 40.2	169 54.8	28	324	81	7783	8188	2351	4459	6810	14999
O21	6/21/99	59 41.5	170 35.4	36	1166	3343	1944	6452	1633	155	1788	8241
O22	6/24/99	59 39.9	171 15.2	37	243	6157	1458	7858	2025	0	2025	9884
O23	6/24/99	59 39.9	171 53.2	40	1752	9492	2629	13873	4029	1645	5674	19547
O24	6/23/99	59 39.9	172 33.4	44	1789	2566	622	4977	156	1244	1400	6377
O25	6/23/99	59 49.8	172 55.4	42	636	2465	1591	4692	318	2863	3181	7873
O25	6/24/99	59 39.0	173 14.5	51	6960	1898	1107	9965	0	1667	1667	11632

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
O26	7/5/99	59 40.0	173 52.2	50	1150	1807	986	3943	329	575	904	4846
O26	6/23/99	59 49.0	173 34.4	51	3353	2286	1753	7393	229	2134	2363	9755
O27	7/5/99	59 40.7	174 27.2	61	2154	7279	4382	13816	105399	8267	113666	127481
O28	7/10/99	59 39.8	175 6.4	66	1591	2545	1511	5646	128026	58526	186552	192199
O29	7/10/99	59 39.9	175 52.2	72	2538	2200	338	5077	3554	4400	7953	13030
O30	7/10/99	59 40.0	176 35.9	72	538	1229	999	2765	1690	2304	3994	6759
O31	7/10/99	59 38.7	177 5.7	91	73	146	0	219	0	146	146	365
P18	6/14/99	59 59.7	168 37.9	19	0	0	803	803	241	0	241	1045
P19	6/14/99	59 59.8	169 18.9	25	80	0	59681	59761	4314	23729	28043	87805
P20	6/21/99	60 0.4	169 57.8	27	405	729	10848	11982	3724	4048	7772	19753
P21	6/21/99	60 1.4	170 36.8	34	1080	4398	5169	10647	9413	309	9721	20369
P22	6/24/99	59 60.0	171 17.9	36	243	1863	1296	3401	4859	162	5021	8423
P23	6/24/99	60 0.4	171 56.8	33	0	948	1983	2931	3448	776	4224	7154
P24	6/23/99	60 10.0	172 20.3	30	81	407	488	977	0	0	0	977
P24	6/23/99	60 0.1	172 37.4	34	232	309	1390	1930	0	695	695	2625
P24	6/24/99	59 50.5	172 15.7	39	1067	4350	5745	11163	4922	8826	13749	24911
P26	7/5/99	60 0.5	173 57.2	50	897	1060	652	2609	0	815	815	3425
P26	6/23/99	60 7.0	173 46.1	46	1403	1714	4987	8105	312	11066	11378	19482
P27	7/5/99	59 50.5	174 15.5	56	1703	2961	444	5108	3109	444	3554	8662
P27	7/5/99	60 0.3	174 33.4	57	1206	6270	3697	11173	24823	1986	26809	37981
P28	7/10/99	60 0.3	175 14.6	63	160	1281	2403	3844	12183	5178	17361	21206
P29	7/9/99	60 0.3	175 56.1	68	1281	1830	732	3842	6953	10796	17749	21591
P30	7/10/99	59 58.3	176 44.8	75	1293	2357	532	4182	38920	22533	61453	65635
P31	7/9/99	59 60.0	177 13.3	73	600	1951	975	3526	24709	13531	38240	41766
P32	7/9/99	60 1.4	177 51.8	75	538	922	614	2074	307	538	845	2919
Q18	6/14/99	60 19.4	168 40.8	20	0	0	32549	32549	10148	16083	26231	58780
Q19	6/14/99	60 19.1	169 20.2	24	0	0	50602	50602	13494	22209	35703	86305
Q20	6/21/99	60 20.1	170 1.5	26	239	958	16043	17240	16769	4532	21301	38541
Q21	6/21/99	60 20.5	170 39.2	33	486	4377	11185	16048	24731	353	25085	41133
Q22	6/22/99	60 19.8	171 21.7	34	163	734	1793	2690	10830	0	10830	13519
Q23	6/22/99	60 20.1	172 3.7	30	0	0	76	76	302	0	302	378
Q25	6/23/99	60 10.3	173 2.5	31	0	154	1927	2081	154	1233	1387	3468
Q25	6/23/99	60 18.0	173 22.7	33	77	154	11558	11789	653	26326	26979	38768

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
Q26	7/5/99	60 20.5	174 3.7	47	588	3191	5710	9489	1764	1260	3023	12513
Q27	7/5/99	60 11.2	174 23.6	53	3738	11978	2136	17852	1144	305	1450	19302
Q27	7/5/99	60 20.9	174 41.8	54	223	2228	1188	3640	2303	1114	3417	7056
Q28	7/9/99	60 20.9	175 23.7	58	83	993	414	1489	165	165	331	1820
Q29	7/9/99	60 20.4	176 2.7	63	170	849	340	1359	5860	1953	7813	9172
Q30	7/9/99	60 20.6	176 47.1	73	1176	4470	2431	8077	110578	6380	116958	125035
Q31	7/9/99	60 18.4	177 21.5	77	1168	1090	1012	3271	1090	389	1480	4750
R22	6/22/99	60 39.9	171 25.3	32	168	168	2607	2944	11859	84	11943	14886
R23	6/22/99	60 39.9	172 7.5	33	0	791	12133	12924	41439	3182	44620	57544
R24	6/22/99	60 39.2	172 44.8	24	0	77	2168	2246	4260	620	4879	7125
R25	7/5/99	60 40.3	173 27.9	33	0	252	3359	3611	2099	1092	3191	6802
R26	7/6/99	60 40.8	174 12.2	46	150	2851	10578	13579	2476	525	3001	16579
R27	7/6/99	60 39.6	174 44.8	51	0	1563	1328	2891	3595	1719	5314	8205
R28	7/9/99	60 40.0	175 28.7	56	920	2510	1004	4434	84	167	251	4685
R29	7/9/99	60 40.2	176 11.6	62	421	2613	1264	4299	169	169	337	4636
R30	7/9/99	60 39.7	176 49.4	69	1667	2349	1061	5077	3637	379	4016	9093
R31	7/8/99	60 40.3	177 31.3	78	9561	3554	0	13114	85	0	85	13199
R32	7/8/99	60 40.2	178 7.9	85	233	1164	0	1397	0	155	155	1552
S22	7/6/99	60 60.0	171 30.1	31	0	265	39273	39538	44902	20885	65787	105325
S23	7/6/99	61 0.0	172 9.9	32	0	0	40793	40793	18352	20799	39152	79945
S24	7/6/99	61 0.2	172 49.4	34	0	402	49835	50236	11715	30562	42277	92513
S25	7/6/99	60 59.8	173 30.1	39	0	0	39702	39702	7270	17721	24992	64694
S26	7/6/99	61 0.5	174 11.8	43	0	320	8634	8954	7162	2328	9489	18443
S27	7/6/99	61 0.4	174 52.5	49	148	3628	10513	14288	13604	1388	14992	29280
S28	7/8/99	61 0.2	175 33.4	54	0	723	1286	2009	482	0	482	2492
S29	7/8/99	61 0.0	176 15.6	59	479	1596	2075	4150	160	2075	2235	6385
S30	7/8/99	61 1.6	176 58.6	64	6342	5027	17424	28792	696	10010	10706	39499
S31	7/8/99	60 58.7	177 38.1	72	2719	1964	1057	5740	151	604	755	6495
T25	7/7/99	61 20.4	173 34.1	38	0	482	39064	39546	4834	5852	10686	50232
T26	7/7/99	61 22.0	174 16.6	42	0	542	21130	21672	22671	13603	36274	57946
T27	7/6/99	61 18.9	174 57.0	46	77	308	5781	6166	6403	2668	9071	15237
T28	7/8/99	61 20.5	175 41.5	53	0	1438	2200	3638	8127	1060	9187	12826
T29	7/8/99	61 19.7	176 17.9	57	166	2907	1495	4568	498	249	747	5315

**Table 10 Summary of crab density by tow (# per square nmi) for Snow Crab, *Chionoecetes opilio*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males				Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	Total	
T30	7/8/99	61 20.9	176 59.7	62	4424	3880	4191	12495	310	3492	3803	16297
U25	7/7/99	61 40.2	173 39.6	36	0	0	49798	49798	10903	18171	29074	78872
U26	7/7/99	61 38.8	174 28.0	41	0	210	25012	25223	11789	17315	29104	54326
U27	7/7/99	61 40.5	175 4.9	45	0	233	14978	15211	3060	7650	10710	25921
U28	7/7/99	61 40.9	175 47.7	50	232	1779	16087	18098	6918	4151	11068	29166
U29	7/8/99	61 39.5	176 28.1	55	417	3198	11125	14740	1137	5931	7069	21809
V25	7/7/99	62 0.4	173 44.6	32	0	0	23734	23734	5138	25263	30401	54136
V26	7/7/99	62 0.1	174 30.7	38	0	0	20008	20008	14009	30819	44828	64836
V27	7/7/99	62 0.7	175 11.0	42	902	902	45109	46914	1804	74881	76686	123599
V28	7/7/99	61 58.3	175 49.8	49	0	975	22750	23725	19863	11499	31362	55087
Z05	6/1/99	54 41.5	165 8.6	24	1591	398	80	2068	0	0	0	2068

NOTE: Minimum carapace sizes used are: Large Males > 4.0 in; Medium Males > 3.1 in; Large Females > 2.0 in.

**Table 11 Summary of crab density by tow (# per square nmi) for Hair Crab, *Erimacrus isenbeckii*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL
					Large	Medium	Small		Large	Small	Total	
C08	5/30/99	55 40.5	163	23.6	43	0	0	0	76	0	76	76
C09	5/26/99	55 40.3	162	51.5	27	80	0	0	80	0	0	80
E10	5/26/99	56 20.9	162	12.9	44	161	0	0	161	0	0	161
E12	5/26/99	56 20.6	160	58.9	28	158	0	0	158	0	0	158
E20	6/17/99	56 26.2	169	26.8	57	81	161	0	242	0	81	322
F10	5/27/99	56 39.3	162	10.3	39	79	0	0	79	0	0	79
F11	5/26/99	56 39.4	161	35.4	48	82	0	0	82	0	0	82
F12	5/26/99	56 40.1	160	59.2	35	157	0	0	157	0	0	157
F20	6/17/99	56 40.3	169	30.8	43	79	0	0	79	0	0	79
F21	6/17/99	56 39.8	170	10.4	53	81	0	0	81	162	0	244
G03	6/5/99	57 0.0	166	27.9	38	82	0	0	82	0	0	82
G08	5/29/99	57 1.2	163	23.1	34	0	0	0	0	77	0	77
G09	5/27/99	57 0.1	162	47.1	31	81	0	0	81	0	0	81
G10	5/27/99	57 0.3	162	9.5	31	0	0	0	223	0	223	223
G11	5/25/99	56 59.8	161	34.1	36	80	0	0	80	0	0	80
G12	5/25/99	57 0.4	160	55.9	34	0	0	0	0	81	0	81
G13	5/23/99	57 0.2	160	20.4	33	71	0	0	71	0	0	71
G19	6/16/99	57 10.0	168	37.8	39	81	0	0	81	0	81	162
G20	6/19/99	57 0.8	169	33.3	31	233	78	0	311	78	0	389
G21	6/19/99	56 50.5	169	54.2	37	80	0	0	80	0	0	80
G21	6/19/99	57 9.5	169	53.0	25	925	168	0	1093	0	0	1093
G21	6/19/99	57 1.1	170	11.9	35	386	0	0	386	0	77	77
G22	6/19/99	57 7.5	170	27.3	30	475	0	0	475	79	0	554
H01	6/12/99	57 20.2	167	44.0	39	83	0	0	83	0	0	83
H08	5/29/99	57 20.7	163	23.5	28	81	0	81	163	81	0	244
H09	5/27/99	57 20.0	162	46.5	25	80	0	0	80	0	0	80
H10	5/27/99	57 20.1	162	8.8	26	80	0	0	80	0	0	80
H11	5/25/99	57 19.7	161	32.5	28	239	0	0	239	0	0	239
H12	5/25/99	57 19.6	160	55.9	32	159	0	0	159	159	0	318
H18	6/16/99	57 18.9	168	24.4	38	0	0	0	0	82	82	82
H19	6/16/99	57 29.0	168	43.6	37	82	0	0	82	0	0	82
H19	6/16/99	57 19.9	168	58.9	38	392	78	0	470	157	78	235
H20	6/19/99	57 19.7	169	35.4	32	163	0	0	163	82	0	245

**Table 11 Summary of crab density by tow (# per square nmi) for Hair Crab, *Erimacrus isenbeckii*.**

Station	Date	N. Lat.	W. Long	Fathoms	Males			Total	Females			GRAND TOTAL
					Large	Medium	Small		Large	Small	Total	
H21	6/19/99	57 29.8	169	58.6	34	0	0	0	162	0	162	162
H21	6/19/99	57 21.2	170	13.7	31	0	0	80	80	0	80	161
I18	6/16/99	57 39.3	168	23.8	36	159	0	0	159	0	0	159
I19	6/16/99	57 39.8	169	2.7	37	83	0	0	83	83	0	166
I20	6/20/99	57 39.6	169	38.6	36	0	0	0	83	0	83	83
I20	6/15/99	57 49.6	169	22.8	35	79	0	0	79	0	0	79
I20	6/16/99	57 30.0	169	21.9	38	83	0	0	83	83	0	167
I21	6/20/99	57 49.8	169	58.7	37	161	0	0	161	322	0	483
I21	6/20/99	57 41.1	170	19.5	39	0	77	0	77	232	77	309
J19	6/15/99	57 59.8	169	4.1	37	159	0	0	159	0	0	159
J22	6/20/99	57 51.4	170	36.6	41	74	0	0	74	0	0	74
K02	6/12/99	58 20.2	167	12.7	26	0	79	0	79	79	0	158
K03	6/4/99	58 20.0	166	33.2	24	80	0	0	80	0	0	80
L01	6/13/99	58 39.9	167	52.1	25	0	239	0	239	80	0	318
L18	6/15/99	58 40.0	168	29.6	27	82	0	0	82	165	0	247
L19	6/15/99	58 39.9	169	8.7	34	160	0	0	160	0	0	160
L20	6/20/99	58 40.0	169	46.9	34	80	0	0	80	0	0	80
M01	6/13/99	59 0.1	167	53.0	22	78	0	0	78	0	0	78
M02	6/13/99	58 59.1	167	13.1	20	78	0	0	78	0	0	78
M18	6/15/99	58 59.8	168	32.0	22	310	0	0	310	0	0	310
M19	6/15/99	58 59.8	169	11.4	29	163	0	0	163	163	163	325
N01	6/13/99	59 19.9	167	55.3	21	83	166	0	249	0	0	249
N18	6/14/99	59 20.2	168	35.1	20	82	0	0	82	0	0	82
N19	6/14/99	59 20.0	169	14.4	27	241	0	0	241	0	0	241
O01	6/13/99	59 39.9	167	57.1	19	239	160	0	399	0	0	399
O18	6/14/99	59 40.6	168	38.4	19	236	0	0	236	0	0	236
O19	6/14/99	59 39.8	169	16.2	25	158	79	0	238	0	79	317
P01	6/13/99	60 0.1	167	59.5	14	0	0	0	73	0	73	73
P18	6/14/99	59 59.7	168	37.9	19	161	0	0	161	0	0	161
P20	6/21/99	60 0.4	169	57.8	27	0	0	0	81	0	81	81
Q18	6/14/99	60 19.4	168	40.8	20	81	81	0	162	162	0	323
Q19	6/14/99	60 19.1	169	20.2	24	0	161	0	161	161	80	241
R24	6/22/99	60 39.2	172	44.8	24	155	0	0	155	0	0	155

Table 11 Summary of crab density by tow (# per square nmi) for Hair Crab, *Erimacrus isenbeckii*.

Station	Date	N. Lat.	W. Long	Fathoms	Males			Females			GRAND TOTAL
					Large	Medium	Small	Total	Large	Small	

NOTE: Minimum carapace sizes used are: Large Males > 3.3 in; Medium Males > 2.0 in; Large Females > 2.6 in.